

xMatters *(IT)* engine

FOR HP BSM OPERATIONS MANAGER i SOFTWARE



This manual provides information about xMatters. Every effort has been made to make it as complete and accurate as possible; however, the information it contains is subject to change without notice and does not represent a commitment on the part of xMatters. No part of this document may be reproduced by any means without the prior written consent of xMatters.

Tuesday, May 13, 2014

Copyright © 1994-2014. All rights reserved.

xMatters™, xMatters®, xMatters® Java Client, xMatters mobile access, xMatters integration agent, xMatters on demand, and xMatters® Notification Server are trademarks of xMatters, inc.

All other products and brand names are trademarks of their respective companies.

Contacting xMatters, inc.:

You can visit the xMatters web site at: <http://www.xmatters.com>

xMatters, inc.

Corporate Headquarters

12647 Alcosta Blvd, Suite 425

San Ramon, CA 94583

Telephone: 925.226.0300

Facsimile: 925.226.0310

Client Assistance:

Email: support@xmatters.com

International: +1 925.226.0300 and press 2

US/CAN Toll Free: +1 877.XMATTRS (962.8877)

EMEA: +44 (0) 20 3427 6333

Australia/APJ Support: +61-2-8038-5048 opt 2

Other Resources:

Join the xMatters Community: <http://community.xmatters.com>

This integration was designed and tested on an unmodified version of HP BSM Operations Manager i software, and this document describes how to configure xMatters to integrate with the default installation. If you have customized or altered your instance of HP OMi, this integration may need to be modified for your deployment. Please note that these integration changes are not part of the services offered by xMatters Technical Support, but can be performed through xMatters's Professional Services department. For more information, contact your xMatters Sales representative.

Proprietary and Confidential © 2010 xMatters, inc

Table of Contents

Chapter 1: Introduction	1
1.1 Summary	1
1.1.1 Benefits	1
1.1.2 Information Workflow	1
1.1.3 Integration Architecture	2
1.2 System Requirements	2
1.2.1 Operating Systems	3
1.3 Conventions and Terminology	3
1.3.1 Conventions	3
1.3.2 Terminology	4
Chapter 2: Installation and Configuration	5
2.1 Installing the integration	5
2.1.1 Integration components	5
2.1.2 Installing the integration service and updating the integration agent	5
2.1.3 Installing voice files	7
2.2 Configuring xMatters	7
2.2.1 Importing Event Domain and scripts	7
2.2.2 Adding the Web Service User	10
2.3 Configuring Subscriptions	10
2.3.1 Defining Event Domain predicates	10
2.3.2 Defining a Subscription Domain	10
2.4 Configuring HP OMi	11
2.4.1 Creating a connected server	12
2.4.2 Creating an event forwarding rule	12
Chapter 3: Integration Validation	14
3.1 Triggering a notification	14
3.1.1 Inject a sample event	14
3.2 Responding to a notification	14
3.3 Viewing response results	16
3.4 Testing the Subscription Panel	16
Chapter 4: Optimizing and Extending the Integration	17
4.1 Adding new parameters	17
4.1.1 Adding new parameters to notification content	17
4.2 Response choices	18

4.2.1 Adding annotation messages	19
4.2.2 Changing and adding response choices	19
4.2.3 Responses for FYI notifications	20
4.3 Annotations	20
4.4 Altering the duration of events	20
4.5 Filtering and suppression	20
4.6 Configuring SSL	21
4.6.1 Using self-signed certificates	21
4.6.2 Importing certificates	21
4.6.3 Updating HTTP to HTTPS	21
4.6.4 Optional Configuration	22
4.7 Troubleshooting	23
4.7.1 Voice files	23
4.8 Uninstalling	23

Chapter 1: Introduction

Welcome to xMatters (IT) engine for HP BSM Operations Manager i software. This document describes how to install and configure the xMatters (IT) engine for HP BSM Operations Manager i software integration. The intended audience for this document is experienced consultants, system administrators and other technical readers.

1.1 Summary

xMatters is an interactive alerting application, designed to capture and enrich important events, to route those events to the right person on any communication device, and to give that person the ability to solve, escalate, or enlist others to resolve the events remotely.

xMatters allows you to take critical business information and contact the right people via voice phone, SMS, two-way pagers, instant message, and email.

Through integration modules, xMatters can become the voice and interface of an automation engine or intelligent application (the Management System, such as HP BSM Operations Manager i software). When HP OMi detects something that requires attention, xMatters places phone calls, sends pages, messages, or emails to the appropriate personnel, vendors or customers.

xMatters is also persistent, escalating through multiple devices and personnel until someone accepts responsibility or resolves the problem. Once contacted, xMatters gives the notified person instant two-way communication with HP BSM Operations Manager i software. Responses are executed immediately on HP OMi, enabling remote resolution of the event.

This integration supports event notifications (from HP OMi to xMatters) through the use of web service calls via the xMatters integration agent. It also supports inbound actions (from xMatters to HP OMi) to update events remotely.

You will need to modify this configuration to suit your particular business requirements and adjust it to suit your expected loads. For example, the default integration features automatic status annotations to the original event; in a high-volume production system, this can significantly affect performance. Consider your expected volume of injected events and your server capacity when designing your own integration with xMatters.

1.1.1 Benefits


With the xMatters integration, the appropriate technician can be notified directly via voice, email, pager, BlackBerry, or other device. Information about the failure will be presented to the event resolver and decisions can be made in real-time.

Once a response is selected on the recipient's remote device, xMatters will update the HP OMi event in real-time. The benefit is that this process is immediate – significantly faster than the time required for staff to notice the failures or malfunctions, determine who is on call, and manually notify the right person. In addition, the ability to take simple actions on the event from any device gives the event resolver a quick way to deal with many issues and communicate to other team members the current state of the event.

During the process, every notification, response, and action is logged in xMatters. In addition, xMatters automatically annotates the original event with status information.

1.1.2 Information Workflow

The following diagram provides an example of a standard workflow in a network monitoring system, and how information from the management system can be passed into xMatters (IT Operations) engine:




1.1.3 Integration Architecture

The software components in this integration include:

- xMatters (IT Operations) engine
- HP BSM Operations Manager i software
- xMatters integration agent

The following diagram illustrates the software processes used by this integration:



1.2 System Requirements

The following products must be installed and operating correctly prior to integration:

xMatters:

- xMatters (IT Operations) engine .
- xMatters integration agent

HP OMi:

- HP BSM Operations Manager i software

1.2.1 Operating Systems

This integration was tested and validated using the following components:

Integration Component	Version	Operating System
xMatters (IT Operations) engine	5.1 patch 001	Microsoft Windows 2008 and Microsoft SQL Server 2008
xMatters integration agent	5.1 patch 002	Microsoft Windows 2008
HP BSM Operations Manager i software	9.2	Microsoft Windows 2008 and Microsoft SQL Server 2008

For a complete list of supported operating systems and other components, refer to the *xMatters installation and administration guide* and *xMatters integration agent guide*.

1.3 Conventions and Terminology

This section describes how styles are used in the document, and provides a list of definitions.

1.3.1 Conventions

Some instructions appear in the following format: **MENU > OPTION**; for example, **File > Open** means click the **File** menu, and then click the **Open** menu option.

Words in **bold** typically reference text that appears on the screen. Words in monospace font represent the following:

- text that must be typed into the computer
- directory and file names
- code samples

Directory paths

Except where explicitly stated, the directory paths in this document are listed in Windows format. Unix users must substitute the given paths with the Unix equivalents.

The xMatters installation folder is referred to throughout the documentation as <xMHOME>.

- On Windows systems, the default is C:\Program Files\xMatters\
- On Unix systems, the default is /opt/xmatters/

The xMatters integration agent installation folder is referred to throughout the documentation as <IAHOME>.

- On Windows systems, the default is C:\Program Files\xmatters\integrationagent\
- On Unix systems, the default is /opt/xmatters/integrationagent

1.3.2 Terminology

The following terms are used through the xMatters documentation.

Documentation terminology

Term	Meaning
Event	<p>An <i>event</i> refers to any situation or item of interest detected by the management system, and which requires attention. Event is also used to refer to the incident or situation as it progresses through the xMatters system, from injection to notification to resolution. Each event must generate at least one alert or notification.</p> <p>Event can also be a generic term used to refer to an incident, change request, message, or other specific item within the management system. Whenever possible, these situations are referred to using the management system's preferred terminology, but can also collectively be called events.</p>
Management system	A management system is any sort of monitoring or managing software that watches for events, and with which xMatters can combine; i.e., a synonym for HP OMi.
Device	The medium through which a recipient is contacted by xMatters; i.e., email, pager, phone, BlackBerry, etc.
User	In xMatters, people who can receive notifications are called "Users". Each person in the xMatters system is defined by a set of User details, including ID number, user name, login password, and so on.
Group	Groups are used to collect and organize Users and Devices into notification schedules. For a complete explanation of Groups in xMatters, see the <i>xMatters user guide</i> .

Chapter 2: Installation and Configuration

This chapter provides information about installing the xMatters (IT) engine for HP BSM Operations Manager i software integration. This chapter also contains complete instructions on how to configure xMatters, HP OMi, and the integration components.

2.1 Installing the integration

The instructions in this chapter do not include information on how to install xMatters (IT Operations) engine, the xMatters integration agent, or HP BSM Operations Manager i software. These components must be installed according to their related documentation, and operating properly before you can proceed with the integration.

Note: For more information about installing xMatters (IT Operations) engine and other xMatters products, refer to the xMatters web site at <http://www.xmatters.com>.

2.1.1 Integration components

The following table describes some of the notable components in the integration archive file:

Integration components	
Component Name	Description
hpomi.js	Primary configuration file for the integration: <ul style="list-style-type: none"> Specifies web services communication settings between xMatters and HP OMi. Identifies which event details will be forwarded from HP OMi for xMatters to use when creating notification content.
omi-config.js	Contains connection information for HP OMi, and the web services root path with which this integration communicates.
xM-HP-OMi-v2.0.xml	Event Domain package containing pre-configured Event Domain, Action scripts, predicates, and Event Domain Constants.

2.1.2 Installing the integration service and updating the integration agent

To configure the integration agent for the HP OMi integration, you must copy the integration components into the integration agent; this process is similar to patching the application, where instead of copying files and folders one by one, you copy the contents of a single folder directly into the integration agent folder (<IAHOME>). The folder structure is identical to the existing integration agent installation, so copying the folder's contents automatically installs the required files to their appropriate locations. Copying these files will not overwrite any existing integrations.

If you have more than one integration agent providing the "hpomi20" service, repeat the following steps for each one. If you are not certain of the settings required in this section, consult your HP OMi administrator.

Note: If you have already installed an existing integration, ensure that you backup the deduplicator-filter.xml file (if one exists) in the <IAHOME>\conf folder before you install this integration.

To install the integration service:

- Copy all of the contents, including subfolders, of the xM-HP-OMi\components\alarmpoint-integration-agent\ folder from the extracted integration archive to the <IAHOME> folder.

2. If you backed up an existing deduplicator file as indicated in the note above, merge the contents of your back up with the newly installed <IAHOME>\conf\deduplicator-filter.xml file: open both files in a text editor, and then copy the <filter> node from the backup file into the new deduplicator file after the last </filter> node. Save and close the file.
3. Open the <IAHOME>\conf\IAConfig.xml file and add the following line to the “service-configs” section:
<path>hpomi20/hpomi.xml</path>
4. Open the <IAHOME>\integrationservices\hpomi20\omi-config.js file and modify the following variables:

Setting	Description
OMI_SERVER	To configure this setting, replace the default value of "localhost" with the fully qualified DNS name of the HP OMi Gateway server. The default value is: localhost
OMI_PROTOCOL	The protocol used for HP OMi connectivity; the default value is "http". To enable SSL communication, replace the default value with "https".
OMI_PORT	To configure this setting, replace the default value of "80" with the port number of your HP OMi server.
OMI_USER	Specifies the username of the web services client account to use when connecting to the HP OMi web services; the default value is "xMatters". Note that this user name is case-sensitive, and must match the name of the defined connected server. For more information, see "Creating a connected server" on page 12.
OMI_PASSWORD_FILE	Specifies the location of the password file containing the web services user's password; for instructions on how to set the password for this user, see "Setting web services user password " on page 7, below.
OMI_REST_SYNC_EVENT_ROOTPATH	Specifies the endpoint used to obtain more event details when an Opr Event Change object is received; the default value is: /opr-gateway/rest/synchronization/event/
OMI_REST_SYNC_EVENT_CHANGE_ROOTPATH	Specifies the endpoint used to send Opr Event Change objects to HP OMi, which reflect response choices made by xMatters Users and are intended to update events accordingly; the default value is: /opr-gateway/rest/synchronization/event_change/
DEDUPPLICATOR_FILTER	Specifies the name of the filter used by the integration agent's deduplicator module, which prevents duplicate events from being injected into xMatters; the default value is "hpomi20". Note that the deduplication filter is cleared whenever the integration agent is restarted; this means that after a restart, events that would otherwise be filtered may be injected into xMatters.
ANNOTATE_DELIVERY	Specifies whether xMatters should update the originating event with delivery annotations; the default value is "true".

5. Restart the integration agent.
 - On Windows, the integration agent runs as a Windows Service; on Unix, it runs as a Unix daemon.

Setting web services user password

This integration includes an encrypted file, located in the <IAHOME>\conf folder, that stores the password for the management system. You will need to update the file with the correct password for the OMI_USER specified in the omi-config.js file.

To specify a web service user password:

1. Open a command prompt, and then navigate to <IAHOME>\bin.
2. Run the following command, where <new_password> is the password for the web services user specified in the omi-config.js file and <old_password> is the existing password (the default value for a newly installed integration is "password").

```
iapassword.bat --new <new_password> --old <old_password> --file conf/hpomi20.pwd
```

2.1.3 Installing voice files

These files must be installed into any xMatters deployment running a voice Device Engine. For more information, refer to the *xMatters installation and administration guide*.

To install the voice files:

1. Copy all of the files in the xM-HP-OMi\components\alarmpoint\vox\english folder from the extracted integration archive to the following node installs folder:

```
<xMHOME>\node\phone-engine\Datastore\domains\common\recordings\english\phrases
```

Note: *This integration provides a complete set of English voice files.*

2.2 Configuring xMatters

The following sections describe how to configure xMatters to combine with HP OMi.

2.2.1 Importing Event Domain and scripts

The integration package includes an XML file that was created using the xMatters "Export Integration" feature; this greatly simplifies the xMatters configuration process by enabling you to create the integration Event Domain, configure the predicates and Event Domain Constants, and import the integration script package in a single step.

To import the integration Event Domain package:

1. Log in to xMatters as a Company Administrator, and click the **Developer** tab.
2. In the Domains menu on the left side of the screen, click **Event Domains**.
3. On the Event Domains page, click **Import New**.
4. On the Import Integration page, click **Browse**, and then locate the xM-HP-OMi-v2.0.xml file extracted from the integration archive.
5. Click **Open**, and then click **Upload**.

xMatters imports the integration configuration settings and displays the new hpomi20 Event Domain.

Defining an Integration Service

For the installation to be successful, the integration service name must match the name specified in the hpomi.js file and the IAConfig.xml file installed on the integration agent.

To define an Integration Service:

1. In xMatters, on the Event Domains page, click the **hpomi20** Event Domain.
2. On the Event Domain Details page, in the Integration Services area, click **Add New**.
3. Enter the following information into the form:
 - **Name:** hpomi20
 - **Description:** HP OMi Integration Service
4. Click **Save**.

Specifying connection parameters

Once you have imported the Event Domain package, you can specify the correct values for the imported Event Domain Constants.

To specify the connection constants:

1. On the Event Domains page, in the Domains menu, click **Event Domain Constants**.
2. In the **Event Domain** drop-down list, select hpomi20, and then click **Continue**.
 - xMatters displays the pre-configured Event Domain Constants for the integration:
3. In the Event Domain Constants list, specify the correct values for the following constants (click the name of a constant to edit its value and description):

Note: *Shaded rows indicate **mandatory** settings that are specific to your deployment. You must change the default settings to match your instance.*

Event Domain Constants

Constant Name	Default Value	Description
xmattersurl	http://localhost:8888	Used to specify the address of the xMatters web server. The links provided in notification content use the xmattersurl constant value to locate the xMatters web server which would process the response. For these links to work, this address must be reachable from the Device where the User will receive the notification; normally, this is the IP address or fully-qualified host name of the xMatters web server.
bespushurl	http://localhost:8888/static	Used to specify the address of the BES device server.
forcefyi	disable	Force notifications to be informational only (FYI), rather than requiring responses; this overrides the fyi behaviour specified on the injected event. Possible values: <ul style="list-style-type: none"> • disable: Nothing is forced. • on: Notifications are forced to be FYI. • off: Notifications are forced not to be FYI.

Constant Name	Default Value	Description
failsafegroup	HP OMi Fail Safe	<p>The fail-safe recipient to notify, typically a group.</p> <p>The fail-safe group identifies the recipient that will be notified if an event is injected to xMatters (IT Operations) engine and no subscriptions exist that match the event. Set this constant if you want to change the failsafe group from HP OMi Fail Safe to another group defined in xMatters.</p>
failsafe	enabled	<p>Controls fail-safe functionality, notifying the fail-safe recipient via EMAIL under certain circumstances; possible values are:</p> <ul style="list-style-type: none"> • enabled: Notify if no subscriptions match or no notifiable recipients. • for-subscriptions: Notify if subscription functionality is enabled AND no subscriptions match. • for-recipients: Notify if no notifiable recipients. • disabled: Disable fail-safe functionality.
overridetimeframes	false	Override Recipients Device Timeframes.
useemergencydevices	false	Force the use of emergency Devices.
trackdelivery	true	Track when each device is delivered to. Setting this to false may give a performance advantage, but you lose any information about whether a delivery was successful or not.
annotate	true	Enables submission of annotations back to the management system.
subscriptionannotate	true	Enables submission of Subscription annotations back to the management system.
tracksubscriptiondelivery	true	Track when each device is delivered to for Subscriptions.
timeout	259200	Amount of time (in seconds) the event is allowed to run before timing out. 259200 seconds = 72 hours.
maxinvalidresponses	3	Specifies the maximum number of invalid responses allowed before notification is no longer requeued.
enablehtmlmail	true	Enables HTML email functionality.
uselogo	true	Set this if you want the logo displayed within HTML email notifications.
useurlalias	false	Indicates how Response Choices are presented to xMatters to ensure that the user is authenticated in the correct company so the notification can be updated.; set to <i>true</i> for xMatters on demand integrations.
debug	false	Indicates whether to use the debug level for logging messages.
enablesubscriptions	true	Indicates whether to enable processing of Subscriptions on incoming events.

Constant Name	Default Value	Description
subscriptionfyi	false	Indicates whether Subscriptions should be forced to be informational only (FYI).
numericpagenumber	555-1212	The callback number to be used as the subject for outgoing notifications to numeric pagers.

2.2.2 Adding the Web Service User

This integration requires a Web Service User to query for events to be injected to xMatters. The following steps describe how to configure the default Web Service User, **IA_User**, for this integration.

To set up a Web Service User:

1. In xMatters, click the **Users** tab, and then click **Find Web Service Users**.
2. On the Find Web Services Users page, click **All**.
3. In the returned search results, locate and click **IA_User**.
4. On the Details for **IA_User** page, confirm that the list of Allowed Web Services includes the **Query Incident** web service; if Query Incident is not listed in the Allowed Web Services list, select it in the Denied Web Services list, and then click **Add**.
5. Click **Save**.

2.3 Configuring Subscriptions

The following sections describe how to manage Subscriptions in xMatters, including instructions on how to configure a Subscription panel and assign Subscriptions to Users.

To allow Users to subscribe to specific criteria on injected events, you must configure a Subscription panel, which requires the following steps:

- Define the Event Domain predicates
- Define a Subscription Domain
- Create a Subscription
- Create a Fail-Safe Group

2.3.1 Defining Event Domain predicates

The default integration configuration uses the following Event Domain predicates to which you can subscribe:

- SEVERITY
- PRIORITY
- STATE

These predicates are automatically created in the Event Domain when importing the Event Domain package, as described in "Importing Event Domain and scripts" on page 7.

2.3.2 Defining a Subscription Domain

The Subscription Domain is the reference point for Subscriptions, and allows you to control who can create Subscriptions, how recipients can respond to Subscription notifications, and which Event Domain predicates can be used to create a Subscription. You must create a Subscription Domain before you can create Subscriptions.

To create a Subscription Domain:

1. On the Developer tab, the Developer menu, click **Subscription Domains**.
2. On the Subscription Domains page, click the **Add New** link.
3. In the **Event Domain** drop-down list, select **hpomi20**, and then click **Continue**.
4. On the Subscription Domain Details page, in the **Name** field, type **hpomi20**.
5. In the **Type of Management** drop-down list, select **Both**.
6. Click **Continue**.
7. On the Select Appropriate Response Choices page, add each response choice you want the Subscription to offer, and then click **Continue**; by default, the integration supports the following response choices:
 - In Progress
 - Resolved
 - Closed
 - Ignore
 - To Raise The Severity
 - To Lower the Severity
 - Critical
 - Major
 - Minor
 - Warning
8. To enable two-way communications for Subscriptions, define all response choices on the Select Appropriate Response Choices page. If you require only one-way, informational notifications, do not specify any response choices.
9. On the Select Appropriate Predicates page, add all of the predicates to the **Applied Predicates** list, and then click **Continue**.
10. On the Select Roles page, specify the Roles you want to be able to create Subscriptions on the Domain, and then click **Save**.

Note: *For more information about working with Event and Subscription Domains, see the xMatters installation and administration guide.*

Creating a Subscription

You can now subscribe to HP OMi events that match specific criteria. For example, you could configure a subscription that would send a notification to a specific User each time an event entered the system that was of critical severity.

To create a Subscription:

1. On the Alerts tab, in the Alerts menu, click **Assign Alerts**.
2. Select the **hpomi20** Subscription Domain, and click the **Add New** link.
3. On the Subscription Details page, specify a name for the Subscription, and set the Subscription criteria.
4. In the Recipients area, click the links to add recipients.
5. When you are satisfied with the subscription details, click **Save** to create the Subscription.

2.4 Configuring HP OMi

The following sections describe how to configure HP OMi to combine with xMatters.

2.4.1 Creating a connected server

Configuring a connected server allows notification responses to update events appropriately.

To create a connected server:

1. In the HP OMi interface, on the Administration tab, in the Operations Management area, click **Connected Servers**.
2. Click the **New Item** icon.
 - HP OMi displays the Create New Server Connection dialog box.
3. On the General page, xM in the **Display Name** field, type `xMatters`, and then click **Next**.
4. On the Server Type page, select **External Event Processing**, and then click **Next**.
5. On the Server Properties page, type the fully qualified DNS name of the server on which the xMatters integration agent is installed, and then click **Next**.
6. On the Integration Type page, select **Call External Event Web Service**.
7. In the **Root URL Path** field, type `/http/hpomi20_hpomi20`, and then click **Next**.
8. On the Outgoing Connection page, provide a username and password for the connected server.
 - These values are not validated by the integration; you can use any settings provided they conform to the minimum requirements of HP OMi.
9. Ensure that the value in the **Port** field (default for the integration is 8081) matches the service-gateway port defined in the `IAConfig.xml` file.
10. If the integration agent and xMatters have not been configured for SSL, clear the **Use Secure HTTP** check box.
 - For more information about secure HTTP, see "Configuring SSL" on page 21.
11. Select the **Supports Synchronize and Transfer Control** check box, and then click **Next**.
12. On the Event Drill-down page, click **Next**.
13. On the Incoming Connection page, enter the password specified in the `omi-config.js` (see "Installing the integration service and updating the integration agent" on page 5).
14. Click **Finish**.

2.4.2 Creating an event forwarding rule

Each deployment of the integration requires a unique event forwarding rule, specific to each deployment, based on the organization's assessment of which events are appropriate to be sent to xMatters. An organization can choose to have more than one event forwarding rule, but for the integration to function correctly, an Event Forwarding rule must exist and be associated with the xMatters connected server.

The following steps provide an example of how to create a forwarding rule; the rule required for your integration will not be precisely the same.

To create an event forwarding rule:

1. In the HP OMi interface, click the **Tune Operations Management** tab drop-down list, and then click **Forwarding Rules**.
2. On the Event Forwarding Rules page, click the **New Item** icon.
 - HP OMi displays the Create New Event Forwarding Rule dialog box.
3. In the General section, in the **Display Name** field, type `xMatters Event Forwarding Rule`.
4. In the Condition section, click the **Browse** button beside the Event Filter drop-down list.
5. In the Select an Event Filter dialog box, click **New**, and then select **Simple Filter**.
6. In the Filter Configuration dialog box, in the Filter Display Name field, type `xMatters Minor Severity Filter`.
7. Select the **Minor Severity** check box, and then clear the check box for all other severities.

8. In the Correlation area, select **All top level events**, and then click **OK**.
 - HP OMi returns you to the Select an Event Filter dialog box, with the xMatters Minor Severity Filter selected.
9. Click **OK**.
10. In the **Target Servers** drop-down list, select **xMatters**, and then click **Add target server** (the plus symbol beside the drop-down list).
11. In the **Forwarding Type** drop-down list, select **Synchronize**.
12. Click **OK**.

Chapter 3: Integration Validation

After configuring xMatters and HP OMi, you can validate that communication is properly configured. It is recommended that you start the components in the following order:

- HP BSM Operations Manager i software
- xMatters (IT Operations) engine
- xMatters integration agent

Consult the respective user manuals for details on starting these applications.

The following sections will test the combination of xMatters and HP OMi for notification delivery and response, and Subscription Panel functionality.

3.1 Triggering a notification

The following example illustrates how moving an event to "In Progress" will trigger a notification in xMatters.

3.1.1 Inject a sample event

You can use the packaged `sendEvent.bat` script to inject a test event into HP OMi.

On Windows, this script is located at:

```
C:\HPBSM\opr\support
```

For information on how to use the `sendEvent.bat` script, please refer to the HP OMi documentation.

3.2 Responding to a notification

This section describes how to respond to a notification from xMatters. In the following example, the notification is received via email, but the process is similar for all Devices.

To respond to a notification:

1. When a notification arrives, open it to view its details:




HP OMi - Automated Subscription Notification	
Time of Event:	Thursday, 10 Apr 2014 23:55:07 GMT-0400
Target:	bsmith Work Email
Title:	Employee Self Service Portal is down
Event Id:	477f55cd-e2af-47c6-a2ad-1631db78ad01
Severity:	minor
Lifecycle State:	open
Priority:	none
Assigned Group:	
Assigned User:	
Control Transferred:	false
Related CI:	<input type="checkbox"/>
Node:	<input type="checkbox"/>
Source CI:	<input type="checkbox"/>
Time Created:	2014-04-10T20:54:22.563-07:00
Time Received:	2014-04-10T20:54:22.740-07:00
Duplicate Count:	0

2. Scrolling down will display the list of possible replies:

Provided you can connect to the xMatters Web Server, you can respond by selecting one of the following links:

1. [in progress](#)
2. [resolved](#)
3. [closed](#)
4. [ignore](#)
5. [to raise the severity](#)
6. [to lower the severity](#)
7. [critical](#)
8. [major](#)
9. [minor](#)
10. [warning](#)
11. [normal](#)

3. To respond to the notification, click a response choice, and xMatters will update the event in HP OMi.



For more information about response choices, and changing the options available to Users, see "Response choices" on page 18.

3.3 Viewing response results

When the response is received, the Lifecycle state is changed to In Progress and a message is logged in the Annotations tab of the event.

To view the notification results:

1. Open the HP OMi Web Console.
2. On the Event Perspective tab, under Event Browser, locate the event used for testing notifications.
 - The Life Cycle State has changed to In Progress, indicating that the event was acknowledged from xMatters:
3. To display the messages annotated to the event, click the Annotations tab.
 - An annotation indicates that the event was changed to "In Progress" by bsmith. For In Progress, Resolved, and Closed responses, the Assigned User is set to the person who responded.

3.4 Testing the Subscription Panel

To test Subscriptions, ensure that you have created a Subscription (for more information, see "Creating a Subscription" on page 11), and then trigger a notification that matches the criteria in our Subscription. You will receive an FYI Notification (informational only) which will not have any response choices available.

Chapter 4: Optimizing and Extending the Integration

This section describes some of the available methods you can use to optimize or extend the xMatters (IT) engine for HP BSM Operations Manager i software integration.

4.1 Adding new parameters

Additional data elements (or tokens) can be forwarded to xMatters by adding them in HP OMi. The following steps explain how to add a new event token to the event injected to xMatters.

Note: *For more information about which parameters may be available, refer to the HP OMi documentation.*

To add an event parameter:

1. Open the <IAHOME>\integration\services\hpomi20\hpomi-request.js file.
2. To add a new child node to the generated APXML data, locate the function `convertOprEventToAPXML:`

```
function(event).
```
3. Locate the following comments:

```
// add custom tokens
// apxml.setToken("custom_token", event.custom_token);
```
4. Uncomment the `apxml.SetToken` line.
5. Save and close the file.

Note that the above token, `event.custom_token`, is an example. This value must be changed to a valid Opr Event type which represents a field for an HP OMi event. A description of an Opr Event object can be found in the HP Business Service Management Operations Manager i Extensibility Guide.

You can now use the new parameter within the Action Scripts to add content to notifications.

4.1.1 Adding new parameters to notification content

Once you have injected the new data elements, you can add the token as a parameter to the notification content for Devices. The following steps explain how to add the custom parameter to email notifications; adding content for other Device types is similar and requires the presentation script to be modified for the specific Devices.

To add a new token to email notification content:

1. Open the xMatters Developer IDE and check out the HP Operations Manager i v2.0 (BUSINESS) Script Package.
2. Open the PRESENTATION > `deviceContentEmail` script, and locate the following line:

```
@messageContent::put( "Duplicate Count", $event.duplicate_count )
```
3. Add the following below the Duplicate Count line; replace `"custom_token"` with the name of the custom token you added in the previous section:

```
@messageContent::put( "custom_token", $event.custom_token )
```
4. Save, validate, and check in the script.

Your custom parameter should now appear in the notification content for email Devices. Repeat the above steps for each Device content creation section (such as `deviceContentBES` for BlackBerry Devices) to which you want to add the new parameter.

4.2 Response choices

This integration allows recipients to respond to notifications with several default choices, some of which are injected back to the HP OMi server, updating the original event. Users notified on email Devices also have the ability to respond with an extra annotation message which will be logged in the original event, as described in "Adding annotation messages", below.

The following is a list of the default response choices available with the integration and their associated actions on the event in xMatters and the HP OMi event.

Response	HP OMi Update	xMatters Job Control
In Progress	Moves the Lifecycle State of the event to "In Progress", and annotates the event with the name of the responder and the Device used.	Delink all except responder
Ignore	Annotates the event with the name of the responder who ignored the notification and the name of the Device used.	Notify next, delink responder.
Resolved	Moves the Lifecycle State of the event to "Resolved", and annotates the event with the name of the responder and the Device used.	Delink all except responder
Closed	Moves the Lifecycle State of the event to "Closed", and annotates the event with the name of the responder and the Device used.	Delink all
Raise Severity	Increases the severity of the event in HP OMi by one level. (Voice only)	Delink all except responder
Lower Severity	Decreases the severity of the event in HP OMi by one level. (Voice only)	Delink all except responder
Set Severity Critical	Sets the severity of the event to critical. (Email, BES, and browser only)	Delink all except responder
Set Severity Major	Sets the severity of the event to major. (Email, BES, and browser only)	Delink all except responder
Set Severity Minor	Sets the severity of the event to minor. (Email, BES, and browser only)	Delink all except responder
Set Severity Warning	Sets the severity of the event to warning. (Email, BES, and browser only)	Delink all except responder
Set Severity Normal	Sets the severity of the event to normal. (Email, BES, and browser only)	Delink all except responder
Annotate	Allows the User to append a message to the annotation tab of the event in HP OMi. (Non-HTML Email only)	Delink all except responder

Job control definitions

The xMatters job controls in the above table are defined as follows:

- **Delivered:** marks the notification as delivered.
- **Notify next:** notifies the next recipient in the Group according to the defined escalation in xMatters.
- **Delink responder:** marks the notification as delivered, and stops the responder from performing any further action on the notification.
- **Delink all except responder:** marks the notification as delivered, and stops any recipients other than the responder from performing any further action on the notification.
- **Delink all:** marks the notification as delivered, stops any further action on the notification for all recipients, and terminates the event in xMatters.

The job control defined for each response choice is the default configuration for this integration; for more information about job control, and how to modify these actions in the scripts, see the *xMatters Online Developer's Guide*.

4.2.1 Adding annotation messages

Two-way email Device notifications (not FYI) can add extra annotations that will be added to the HP OMi event as a message on the Annotations tab. To add an extra annotation, respond to an email notification with the following format in the subject line:

```
RESPONSE <Choice> <Message>
```

<Choice> can be any of the response choices listed in the table above, and <Message> can be any content you want to add as the annotation.

4.2.2 Changing and adding response choices

Changing or adding a response choice to the integration requires the following steps:

- Add or modify the response choice on the Subscription Domain (as described in "Defining a Subscription Domain" on page 10).
- Update the xMatters script to forward the response choice to the integration agent.
- Update the integration agent to send the response choice into HP OMi to perform the desired action on the originating event.

As an example, the following code illustrates adding a response choice of "Be there in 10 minutes" to the integration:

To forward the response choice to the integration agent, launch the xMatters Developer IDE and open the Handler script; make the following changes:

1. In the buildUserResponseMap script add:

```
@userResponseMap::put("be there in ten minutes", "be there in ten minutes")
```

2. In the processUserResponse script add:

```
IF ( $actionToken == "be there in ten minutes" )
GOSUB prepareAndSendMessage

CALL sendAPDeliveredResponse
```

To send the response choice from the integration agent into HP OMi, open the `hpomi.js` file, and add a new ELSE-IF statement to the `handleApsResponses` function:

```
if ( responseAction.equalsIgnoreCase( "be there in ten minutes" ) )
{
// Implement functionality to send a web service request to OMi
log.debug("About to start 'be there in ten minutes functionality'");

<your code goes here>
}
```

The above is intended only as a brief overview of the required components. For more information about responses and scripting, refer to the xMatters Action Scripts and the xMatters Online Developer's Guide.

4.2.3 Responses for FYI notifications

FYI notifications do not have any response choices available, except for FYI notifications sent to voice Devices. Voice FYI notifications offer the following response choices so that Users can navigate between multiple notifications. (This navigation is not required on other Devices.)

Voice Device responses for FYI notifications

Response	Description
Delete	Removes the notification from the User's list. This option is most likely to be selected.
Save	Saves the notification and stops attempting to deliver it to the User's other Devices. Users may select this option to delay listening to the notification when it is delivered, and access the details by calling in, or via the xMatters web user interface, at a later time.
Repeat	Replays the notification content.

4.3 Annotations

This integration extensively annotates the originating HP OMi event with messages regarding the delivery status of notifications from xMatters, but this may not be desirable in all environments. To prevent annotations, change the value of the ANNOTATE_DELIVERY variable in `omi-config.js` to *false*.

4.4 Altering the duration of events

You can modify the amount of time xMatters will send out notifications for a particular event before it times out by changing the "timeout" Event Domain Constant. This constant stores the number of seconds the notifications will be allowed to continue before timing out.

For example, if you wanted to change the event duration to two hours, you could change the value for the timeout constant to **7200**.

Note: For more information about working with Event Domain Constants, see "Specifying connection parameters" on page 8.

4.5 Filtering and suppression

The xMatters integration agent's Portable Filtering and Suppression Module is a built-in module that maintains a rolling record of previously injected events, and allows for the suppression of duplicates (also referred to as "deduplication"). This helps avoid disruption of traffic due to inadvertent loads that can result when, for example, improperly configured management systems inject duplicated events.

The `deduplicator-filter.xml` file is installed in the `<IAHOME>\conf` folder and is configured to suppress duplicate events for 12 hours (up to a maximum of 100 events in that period).

This filter can be modified to extend the time period over which an event is considered to be a duplicate, the number of events in that period and the tokens that are used to determine what makes the event unique.

For example, to add category to the tokens, open the `deduplicator-filter.xml` file in a text editor and add the following line to the `<predicates>` collection:

```
<predicate>category</predicate>
```


Save the file and restart the integration agent for the changes to take effect.

Note: *To see a complete list of predicates available in the integration, reviewing the Event Data in the Event Summary Report in the xMatters web user interface.*

4.6 Configuring SSL

This integration supports SSL communication between the integration agent and HP OMi and between the integration agent and xMatters.

4.6.1 Using self-signed certificates

The SSL support has been configured out of the box to support self-signed certificates. This is not recommended for production systems due to security reasons, unless you are aware and accepting of the security implications of self-signed certificates.

To modify the SSL configuration:

1. Open the `<IAHOME>\integrationservices\hpomi20\wsutil.js` file and modify the `ACCEPT_ANY_CERTIFICATE` variable as follows:
 - Set to *true* to use SSL but trust any certificate (including self-signed ones).
 - Set to *false* to accept only Certificate Authority (CA) certified certificates (recommended in production environments).

4.6.2 Importing certificates

The next step required to enable SSL support is to import the certificate used by the HP OMi web server to the cacerts keystore of the Java Virtual Machine (JVM) bundled with the integration agent.

Using the keytool executable located at `<IAHOME>\jre\bin`, execute the following command on the integration agent to import the certificate, replacing the variables with the appropriate values as described in the list below:

```
keytool -import -alias <your.alias> -file <path>/<certificate>.cer -keystore
<dir>/jre/lib/security/cacerts -storepass <password>
```

- **<your.alias>**: an identifier for the certificate within the keystore; for example, you can use the string "hpomi20".
- **<path>**: path to the certificate
- **<certificate>**: the certificate's file name
- **<dir>**: the directory in which the integration agent is installed.
- **<password>**: the password for the cacerts keystore; the default password is "changeit".

If you want to configure SSL support between the integration agent and xMatters, use the above command to import the trusted certificate for xMatters into the integration agent keystore (for information on setting up SSL in xMatters, consult the xMatters Community site at <http://community.xMatters.com>)

4.6.3 Updating HTTP to HTTPS

The next step is to update the `OMI_PROTOCOL` in the `<IAHOME>\integrationservices\hpomi20\omi-config.js` file to use the HTTPS protocol instead of HTTP.

The modified value should resemble the following:

```
var OMI_PROTOCOL = "https";
```

Note: For trusted certificates, "localhost" should be replaced with the COMMON NAME (CN) specified in the certificate and the port should be set to the port specified in the SSL configuration for HP OMi.

To configure the integration agent to use HTTPS when communicating with xMatters:

1. In a text editor, open the <IAHOME>\conf\IAConfig.xml file.
2. Modify the URL for the <primary-servers> and <secondary-servers> elements to use the HTTPS protocol instead of HTTP; the section should resemble the following:

```
<primary-servers>
<!--
| 0 or more URL elements that specify the primary location of each xMatters server's
| RegisterIntegrationAgent Web Service. The URLs must begin with either http:// or https://
| and cannot have a query or fragment component. The URLs must be resolvable from this IA.
+-->
<url>https://localhost:8443/api/services/AlarmPointWebService</url>
</primary-servers>

<!--
| These servers are assumed to be connected to the same xMatters database,
| which can be different than the primary servers' database.
+-->
<secondary-servers>
<!--
| 0 or more URL elements that specify the secondary location of each xMatters server's
| RegisterIntegrationAgent Web Service. The URLs must begin with either http:// or https://
| and cannot have a query or fragment component. The URLs must be resolvable from this IA.
+-->
<url>https://localhost:8443/api/services/AlarmPointWebService</url>
</secondary-servers>
```

Note: For trusted certificates, "localhost" should be replaced with the COMMON NAME (CN) specified in the certificate and the port should be set to the port specified in the SSL configuration for the xMatters server.

3. Modify the value for the <service-gateway> element to use SSL; note that the service-gateway host IP must be resolvable from the xMatters servers:

```
<service-gateway ssl="true" host="localhost" port="8081"/>
```

4. Restart the integration agent.

4.6.4 Optional Configuration

The following scenarios illustrate the common configuration options available when using SSL.

Scenario 1

- HP OMi certificate: CA-certified
- xMatters certificate: CA-certified

In `wsutil.js`, set the variable `ACCEPT_ANY_CERTIFICATE` to *false*.

This will ensure ALL communication between the integration agent and HP OMi and the integration agent and xMatters uses the appropriate CA certified certificates

Scenario 2

- HP OMi certificate: CA-certified
- xMatters certificate: self-signed

In `wsutil.js`, set the variable `ACCEPT_ANY_CERTIFICATE` to *false*.

In `xmatterws.js`, add the following line at the end of the `init()` method:

```
this.ACCEPT_ANY_CERTIFICATE = true;
```

This will allow communication between the integration agent and xMatters to use self-signed certificates while maintaining more complete security between the integration agent and HP OMi.

Scenario 3

- HP OMi certificate: self-signed
- xMatters certificate: CA-certified

In `wsutil.js`, set the variable `ACCEPT_ANY_CERTIFICATE` to *true*.

In `xmatterws.js`, add the following line at the end of the `init()` method:

```
this.ACCEPT_ANY_CERTIFICATE = false;
```

This will allow communication between the integration agent and HP OMi to use self-signed certificates while maintaining more complete security between the integration agent and xMatters.

Scenario 4

- HP OMi certificate: self-signed
- xMatters certificate: self-signed

In `wsutil.js`, set the variable `ACCEPT_ANY_CERTIFICATE` to *true*.

This will allow ALL communication between the integration agent and HP OMi and between the integration agent and xMatters to use self-signed certificates.

4.7 Troubleshooting

This section identifies and explains some issues with the integration that may be encountered during installation, configuration, or validation.

4.7.1 Voice files

Note that on multiple-Company deployments, the voice files must be installed to `<xMHOME>\node\phone-engine\Datastore\<company_id>\common\recordings\english\phrases`, where `<company_id>` is the database identifier of the Company where the hpomi20 Event Domain has been created.

If the voice files have already been copied to the above location, but are still not playing in notifications, you can copy the voice files to the global location at `<xMHOME>\node\phone-engine\Datastore\global\common\recordings\english\phrases`. Note that this is the location for the out-of-box voice files; adding the integration specific files to this location may cause them to be played for notifications not related to HP OMi.

4.8 Uninstalling

For instructions on removing an xMatters deployment, refer to the *xMatters installation and administration guide*.



www.xMatters.com

12647 ALCOSTA BLVD., SUITE #425 SAN RAMON CA 94583 USA | P: 1-877-xMatters + 1.877.962.8877
CENTRAL COURT 25 SOUTHAMPTON BUILDINGS, LONDON WC2A 1AL UK | P: +44 (0) 800 652 7711